

AELIA A /
AELIA N

PORTABLE MONOBLOC / SPLIT

Airwell



AELIA A

AELIA N CDQC



IR Remote Control - AELIA A

With its excellent ergonomic properties and LCD display, the Airwell infrared remote control is highly user friendly. It allows to select the different operating modes (Cooling-Dehumidification-Auto Fan) to set the timer (from 1-24 hours) and control temperature to create the desired climate.



Direct Control - AELIA N

The on units control and display panel enables to easily turn the unit on or off, adjust the temperature, change the fan speed to obtain maximum comfort.

AELIA A / AELIA N

PORTABLE MONOBLOC / SPLIT

COOL
COMFORTABLE &
CONVENIENT

With their compact and modern design the Airwell AELIA portable units will create a cool, comfortable environment during the hottest summer months without any installation and service requirement. These units can respond to various cooling needs; AELIA A can perfectly suit to residential application, and the AELIA N to larger rooms and light commercial cooling requirements. They offer additional comfort by dehumidifying, filtering and distributing the air in a balanced and evenly distributed way. Silent, easy to use and install, AELIA will become your ideal partner for a perfect climate solution.

PRODUCT
BENEFITS

AELIA A



AELIA N CDQC



AELIA A

- Monobloc portable available in 2 models
- Class A energy label, and eco-friendly with R410A
- Easy installation (no specific requirements) and service
- Removable air filter that can be easily cleaned
- 2 control options on the unit by touch panel or by wireless remote with LCD screen
- High dehumidification capacity (2 l/h for model 12) and 3 fan speed (Low-Medium-High)
- Low noise levels: 54 dB(A) maximum.
- LCD display on the unit indicating the operation modes and temperature
- Simple access to the connecting hose to exhaust air out.
- Easy to move with fitted castors

AELIA N CDQC

- Split portable units available in 2 models
- Class A energy label, and eco-friendly with R410A
- Powerful cooling capacity (4.17 kW for model 14) suitable for larger spaces
- High dehumidifying function up to 1.8 l/h
- Provide very low noise operation 51 dB(A)
- On unit control and display panel
- Indicator control LED with warning light
- Easily Adjustable thermostat with a switch knob
- Oscillation louver for dissipation of cold air
- High efficiency rotary compressor consuming less energy
- Flexible installation of the outdoor unit: can be hanged or positioned in the patio (3 m connection tube)
- Quick connectors to easily disconnect and re-connect the outdoor unit for a fixed installation.

FLEXIBLE
AND EASY
INSTALLATION



AELIA A: connecting hose to exhaust air out through a window, sliding door, wall, or ceiling



AELIA N CDQC: flexible and quick connectors to easily disconnect and re-connect the outdoor unit (coupling system)



R-410A: AN ECO-FRIENDLY FLUID

The portable units AELIA A and AELIA N are available with the ecologically friendly refrigerant R410A. This refrigerant provides high energy efficiency, while preserving the ozone layer, and is easily recyclable. Its high density and high energy efficiency provide significant energy saving and great performance.



AELIA A / AELIA N

PORTABLE MONOBLOC / SPLIT


		AELIA 9 A	AELIA 12 A	AELIA N 10 CDQC	AELIA N 14 CDQC
Cooling	Capacity	kW 2.6	3.5	3.02	4.17
	Power input	kW 1.0	1.4	0.98	1.54
	EER/Energy Label	2.6 / A	2.5 / B	3.1 / A	2.7 / A
Indoor unit	Type	Monobloc	Monobloc	Split System	Split System
	Sound pressure level 1 mt ¹ dB(A)	51/53/54	51/53/54	43/46/48	48/50/51
	Airflow ²	m ³ /h 420	450	503	433
	Dehumidification	l/h 1.6	2	1.25	1.80
	Dimensions (WxDxH)	mm 510x425x830	510x425x830	470x360x800	470x360x800
	Weight	kg 34	37	33	38
Outdoor unit	Compressor type	-	-	Rotary	Rotary
	Dimensions (WxDxH)	mm -	-	440x320x540	440x320x540
	Weight	kg -	-	17	17
	Linking pipes - Length	m -	-	3	3
	Max. height difference	m -	-	1.6	1.6
Power supply 1-230V - 50Hz	Part number	7MB021050	7MB021051	7MB021032	7MB021042

¹Data are relative to Low speed, Medium speed and High speed
²Data are relative to High speed

CM AELIA 1 - A-1 MASTER - Specifications subject to change without notice. Non contractual pictures.

Airwell

Your official dealer



Airwell Group

1, Bis Avenue du 8 mai 1945
 Saint Quentin en Yvelines
 78284 GUYANCOURT
 France
 Tel. +33 (0)1 39 44 78 00
 Fax +33 (0)1 39 44 65 17

www.airwell.com
 contact@airwell-group.com