



DC Inverter
Reversible

Airwell

HDLE AURA

High wall - Built-in Wi-Fi

► New HDLW designation!



RC08A
included



A++ **HYBRID**
HOUSE by Airwell

+ PRODUCT

- RC08A remote control included
- Wide range from 2 to 6kW
- Wi-Fi compatible (AirHome solution)
- Compatible with ZDAE multisplit

FEATURES

AIR QUALITY



AUTO
CLEAN/DRY

USER FUNCTIONS



Wi-Fi



24 H
PROGRAMMABLE
TIMER



I FEEL



NIGHT MODE



REMOTE CONTROL
LOCK



RESTART
(MEMORY)

INSTALLER FUNCTIONS



ERROR PART NUMBER
VIA INDOOR UNIT



AUTO-DIAGNOSTIC



LEFT/RIGHT
CONDENSATE
CONNECTION

CERTIFICATION

- AIRWELL participates in the ECP programme for ACI. Check ongoing validity of certificate:
www.eurovent-certification.com



- Certified in Monosplit configuration

+ «SUSTAINABLE DEVELOPMENT»

- > Energy label A++ in cooling mode and A+ in heating mode depending on model, guaranteeing energy savings.
- > Environmentally friendly R32 refrigerant.

+ «USER»

- > Modern and sleek design.
- > High-performance filters that trap dust and particles for better air quality.

+ «TECHNOLOGY»


- > Room sensor built into the remote control for better comfort ("I Feel" mode).
- > Automatic cleaning and drying of the indoor unit for better hygiene.

+ «INSTALLER»

- > Condensate drain to the right or left for ease of installation in the room.

Night mode:

- > Improved comfort and energy savings



2021		2022	
Old designation	Old part number	New designation	New part number
HDLW High wall range			
AW-HDLW007-N91	7SP023200	HDLE-022N-09M25	7SP023270
AW-HDLW009-N91	7SP023201	HDLE-025N-09M25	7SP023271
AW-HDLW012-N91	7SP023202	HDLE-035N-09M25	7SP023272
AW-HDLW018-N91	7SP023203	HDLE-050N-09M25	7SP023273
AW-HDLW024-N91	7SP023204	HDLE-070N-09M25	7SP023274
-	-	YDAE-022R-09M25	7SP063200
AW-YHDL009-H91	7SP062960	YDAE-025R-09M25	7SP063201
AW-YHDL012-H91	7SP062961	YDAE-035R-09M25	7SP063202
AW-YHDL018-H91	7SP062962	YDAE-050R-09M25	7SP063203
AW-YHDL024-H91	7SP062963	YDAE-070R-09M25	7SP063204


HDLE AURA

High wall - Built-in Wi-Fi





TECHNICAL DATA

INDOOR UNIT		HDLE-022N-09M25	HDLE-025N-09M25	HDLE-035N-09M25	HDLE-050N-09M25	HDLE-070N-09M25
Part number		7SP023270	7SP023271	7SP023272	7SP023273	7SP023274
Phase		Single-phase	Single-phase	Single-phase	Single-phase	Single-phase
COOLING						
Rated power (min./max.)	kW	2.20 (0.30-2.85)	2.70 (0.60-3.40)	3.20 (0.90-3.60)	4.60 (1.00-5.30)	6.20 (1.80-6.90)
Pdesignc	kW	2.20	2.70	3.20	4.60	6.20
Rated power input	kW	0.59	0.74	0.99	1.36	1.83
SEER/Energy label		6.60/A++	6.60/A++	6.10/A++	6.40/A++	6.80/A++
Operating limits	°C	-15°~43°C Dry bulb				
HEATING						
Rated power (min./max.)	kW	2.40 (0.60-2.90)	2.80 (0.60-3.70)	3.40 (0.90-4.00)	5.20 (1.00-5.65)	6.50 (1.30-7.03)
Pdesignh (average climate)	kW	2.10	2.50	2.70	3.70	4.70
Pdesignh (warmer climate)		2.10	2.80	2.80	3.60	4.70
Rated power input	kW	0.59	0.70	0.92	1.34	1.91
SCOP/Energy label (average climate)		4.00/A+	4.20/A+	4.00/A+	4.00/A+	4.00/A+
SCOP/Energy label (warmer climate)		4.80/A++	5.20/A++	4.90/A++	5.10/A++	5.10/A++
Operating limits	°C	-15°~24°C Dry bulb				
Power at -7°C	kW	2.18	2.28	2.51	4.51	5.13
Power at -10°C	kW	2.11	2.20	2.29	3.65	4.59
Power at -15°C	kW	1.80	1.88	1.95	3.53	4.43
INDOOR UNIT						
Sound pressure level at 1 m (VL/LS/MS/HS)	dB(A)	22/33/36/39	21/34/38/41	21/34/38/41	27/38/42/44	26/37/45/48
Sound level (VL/LS/MS/HS)	dB(A)	37/45/48/55	36/46/50/57	34/45/50/57	41/48/52/54	42/49/57/60
Airflow (VL/LS/MS/HS)	m³/h	290/420/470/500	280/400/520/550	280/410/480/590	550/700/800/850	400/600/800/900
Dehumidification	l/h	0.60	1.40	1.40	1.80	1.80
Unit dimensions (WxHxD)	mm	713x270x195	790x275x200	790x275x200	970x300x224	970x300x224
Package dimensions (WxHxD)	mm	776x362x268	866x367x271	866x367x271	1041x383x320	1041x383x320
Net weight/Gross weight	kg	8/9.5	9/11	9/11	13.5/16	13/15.5
OUTDOOR UNIT						
Part number		YDAE-022R-09M25	YDAE-025R-09M25	YDAE-035R-09M25	YDAE-050R-09M25	YDAE-070R-09M25
Sound pressure level at 1 m	dB(A)	49	51	51	52	54
Sound level	dB(A)	60	62	64	63	65
Airflow	m³/h	1400	1950	1950	1950	2800
Compressor type		Rotary	Rotary	Rotary	Rotary	Rotary
Unit dimensions (WxHxD)	mm	710x450x293	732x550x330	732x550x330	732x555x330	873x555x376
Package dimensions (WxHxD)	mm	764x525x330	792x620x393	792x620x393	794x615x376	951x620x431
Net weight/Gross weight	kg	21/23	25/27.5	25/27.5	26.5/29	36.5/39.5
POWER SUPPLY						
Phase/Voltage/Frequency		1P/220-240V/50Hz	1P/220-240V/50Hz	1P/220-240V/50Hz	1P/220-240V/50Hz	1P/220-240V/50Hz
Power supply side		Outdoor	Outdoor	Outdoor	Outdoor	Outdoor
Power cable section	mm²	3x1.5	3x1.5	3x1.5	3x1.5	3x1.5
Max. current (D curve)	A	10	10	10	16	16
Shielded electrical connections	mm²	4x0.75	4x0.75	4x0.75	4x0.75	4x0.75
PIPE LINE						
Suction pipe diameter	inches	3/8"	3/8"	3/8"	3/8"	1/2"
Liquid pipe diameter	inches	1/4"	1/4"	1/4"	1/4"	1/4"
Max. length	m	15	15	15	25	25
Max. height	m	10	10	10	10	10
Refrigerant/GWP		R32/675	R32/675	R32/675	R32/675	R32/675
Charge (5 m)	kg	0.45	0.53	0.55	0.75	1.23
Additional charge	g/m	16	16	16	16	16

OPTIONS

ACCESSORY	PART NUMBER	PICTURE	FUNCTION
Wired control RCW27	7ACEL1874		• Weekly programming, mode setting, temperature setting, fan speed, key lock.

MATCHING

INDOOR UNIT HIGH WALL	COMPATIBLE WITH OUTDOOR UNIT	
	MONOSPLIT	MULTISPLIT
 HDLE Aura	 YDAE	 ZDAE
		 YDZB

TECHNICAL DATA

OUTDOOR UNIT		ZDAE-2040-09M25	ZDAE-2050-09M25	ZDAE-3060-09M25	ZDAE-3070-09M25	ZDAE-4080-09M25	ZDAE-5130-09M25
Part number		7SP091200	7SP091201	7SP091202	7SP091203	7SP091204	7SP091205
Phase		Single-phase	Single-phase	Single-phase	Single-phase	Single-phase	Single-phase

COOLING

Rated power (min./max.)	kW	4.10 (2.05-5.00)	5.30 (2.14-5.80)	6.10 (2.20-8.30)	7.10 (2.30-9.20)	8.00 (2.30-11.00)	12.00 (2.60-13.00)
Pdesignc	kW	4.10	5.30	6.10	7.10	8.00	12.00
Rated power input	kW	1.10	1.48	1.48	1.88	2.12	3.45
SEER/Energy label		6.30/A++	6.30/A++	6.60/A++	6.80/A++	6.70/A++	6.10/A++
Operating limits	°C	-15°/50° Dry bulb					

HEATING

Rated power (min./max.)	kW	4.40 (2.49-5.40)	5.65 (2.58-6.50)	6.50 (3.60-8.50)	8.60 (3.65-9.20)	9.50 (3.65-10.25)	13.00 (2.60-14.50)
Pdesignh (average climate)	kW	3.60	4.10	6.10	6.10	7.20	11.80
Rated power input	kW	0.97	1.25	1.43	2.23	2.20	3.50
SCOP/Energy label (average climate)		4.00/A+	4.00/A+	4.00/A+	4.00/A+	4.00/A+	4.00/A+
Power at -7°C	kW	3.38	3.96	4.77	5.60	7.19	9.46
Operating limits	°C	-15°/24° Dry bulb					

OUTDOOR UNIT

Sound pressure level at 1 m	dB(A)	50	50	57	57	58	60
Sound level	dB(A)	62	64	68	68	68	70
Airflow	m³/h	2300	2300	3800	3800	3800	5200
Compressor type		Rotary	Rotary	Rotary	Rotary	Rotary	Rotary
Unit dimensions (WxHxD)	mm	745x550x300	745x550x300	889x654x340	889x654x340	889x654x340	1098x1106x440
Package dimensions (WxHxD)	mm	872x620x398	872x620x398	1032x737x456	1032x737x456	1032x737x456	1158x1235x493
Net weight/Gross weight	kg	30/33	32/35	48/52	48/52	51/56	90/98

POWER SUPPLY

Phase/Voltage/Frequency		1P/230V/50Hz	1P/230V/50Hz	1P/230V/50Hz	1P/230V/50Hz	1P/230V/50Hz	1P/230V/50Hz
Power supply side		Outdoor	Outdoor	Outdoor	Outdoor	Outdoor	Outdoor
Power cable section	mm²	3x1.5	3x1.5	3x2.5	3x2.5	3x2.5	3x4
Max. current (D curve)	A	16	16	25	25	25	25
Electrical connections	mm²	4x0.75	4x0.75	4x0.75	4x0.75	4x0.75	4x0.75

PIPE LINE

Suction pipe diameter	inches	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"
Liquid pipe diameter	inches	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"
Max. length	m	40	40	60	60	70	75
Max. length per circuit	m	20	20	20	20	20	25
Max. height between indoor and outdoor unit	Outdoor unit higher than indoor unit	m	15	15	15	15	15
	Outdoor unit lower than indoor unit	m	15	15	15	15	15
Max. height between indoor units	m	15	15	15	15	15	8
Refrigerant/GWP		R32/675	R32/675	R32/675	R32/675	R32/675	R32/675
Charge	kg	0.75	0.90	1.60	1.70	1.80	2.75
Totale length charge	m	10	10	30	30	40	40
Additional charge	g/m	20	20	20	20	20	20

Compatible
WITH:

- > High wall HDLE Aura 22/25/35
- > Console XDLF 25/35



ZDAE-2040 MULTISPLIT DUO

Indoor unit combination	COOLING MODE										HEATING MODE									
	Rated power (kW)		Total power (kW)			Total input power (kW)			EER	SEER/ Energy label	Rated power (kW)		Total power (kW)			Total input power (kW)			COP	SCOP/ Energy label
	Unit A	Unit B	Min.	Rated	Max.	Min.	Rated	Max.			Unit A	Unit B	Min.	Rated	Max.	Min.	Rated	Max.		
22+22	2.05	2.05	2.05	4.10	5.00	0.40	1.10	2.25	3.73	6.30/A++	2.20	2.20	2.50	4.40	5.40	0.60	0.97	2.25	4.54	4.00/A+
22+25	1.79	2.31	2.05	4.10	5.00	0.40	1.10	2.25	3.73	6.30/A++	1.93	2.48	2.50	4.40	5.40	0.60	0.97	2.25	4.54	4.00/A+
22+35	1.51	2.59	2.05	4.10	5.00	0.40	1.10	2.25	3.73	6.30/A++	1.62	2.78	2.50	4.40	5.40	0.60	0.97	2.25	4.54	4.00/A+
25+25	2.05	2.05	2.05	4.10	5.00	0.40	1.10	2.25	3.73	6.30/A++	2.20	2.20	2.50	4.40	5.40	0.60	0.97	2.25	4.54	4.00/A+
25+35	1.76	2.34	2.05	4.10	5.00	0.40	1.10	2.25	3.73	6.30/A++	1.89	2.51	2.50	4.40	5.40	0.60	0.97	2.25	4.54	4.00/A+

Based on wall mounted combination

ZDAE-2050 MULTISPLIT DUO

Indoor unit combination	COOLING MODE										HEATING MODE									
	Rated power (kW)		Total power (kW)			Total input power (kW)			EER	SEER/ Energy label	Rated power (kW)		Total power (kW)			Total input power (kW)			COP	SCOP/ Energy label
	Unit A	Unit B	Min.	Rated	Max.	Min.	Rated	Max.			Unit A	Unit B	Min.	Rated	Max.	Min.	Rated	Max.		
22+22	2.10	2.10	2.15	4.20	4.80	0.40	1.40	2.00	3.00	6.30/A++	2.60	2.60	2.05	5.20	5.62	0.50	1.00	2.20	5.20	4.00/A+
22+25	2.10	2.60	2.15	4.70	5.20	0.40	1.44	2.00	3.26	6.30/A++	2.60	2.80	2.05	5.40	5.83	0.60	1.10	2.20	4.91	4.00/A+
22+35	2.10	3.10	2.15	5.20	5.80	0.40	1.48	2.50	3.51	6.30/A++	1.99	3.41	2.50	5.40	5.90	0.70	1.25	2.50	4.32	4.00/A+
25+25	2.60	2.60	2.15	5.20	5.80	0.40	1.48	2.50	3.58	6.30/A++	2.70	2.70	2.50	5.40	5.90	0.70	1.25	2.50	4.32	4.00/A+
25+35	2.23	2.97	2.15	5.20	5.80	0.50	1.48	2.50	3.51	6.30/A++	2.31	3.09	2.50	5.40	5.90	0.70	1.25	2.50	4.32	4.00/A+
35+35	2.60	2.60	2.15	5.20	5.80	0.50	1.48	2.50	3.51	6.30/A++	2.70	2.70	2.50	5.40	5.90	0.70	1.25	2.50	4.32	4.00/A+

Based on wall mounted combination

ZDAE

Combination capacities

DC Inverter
Reversible

Compatible
WITH:

- > High wall HDLE Aura 22/25/35/50
- > Console XDLF 25/35/50



ZDAE-3060 MULTISPLIT TRIO

Indoor unit combination	COOLING MODE											HEATING MODE										
	Rated power (kW)			Total power (kW)			Total input power (kW)			EER	SEER/ Energy label	Rated power (kW)			Total power (kW)			Total input power (kW)			COP	SCOP/ Energy label
	Unit A	Unit B	Unit C	Min.	Rated	Max.	Min.	Rated	Max.			Unit A	Unit B	Unit C	Min.	Rated	Max.	Min.	Rated	Max.		
22+22	2.10	2.10	-	2.20	4.20	5.60	0.40	0.90	2.00	4.67	6.10/A++	2.60	2.60	-	3.60	5.20	8.50	0.40	0.95	2.20	5.47	3.80/A
22+25	2.10	2.60	-	2.20	4.70	5.60	0.40	1.00	2.40	4.70	6.10/A++	2.60	2.80	-	3.60	5.40	8.50	0.40	1.09	2.20	4.95	3.80/A
22+35	2.10	3.50	-	2.20	5.60	7.33	0.40	1.20	2.60	4.67	6.10/A++	2.60	3.80	-	3.60	6.40	8.50	0.60	1.29	2.50	4.96	3.80/A
22+50	1.71	4.39	-	2.20	6.10	7.33	0.50	1.48	2.90	4.12	6.10/A++	1.82	4.68	-	3.60	6.50	8.50	0.80	1.43	2.90	4.55	3.80/A
25+25	2.55	2.55	-	2.20	5.10	5.60	0.40	1.20	2.60	4.25	6.10/A++	2.80	2.80	-	3.60	5.60	8.50	0.60	1.23	2.50	4.55	3.80/A
25+35	2.61	3.49	-	2.20	6.10	7.33	0.50	1.48	2.90	4.12	6.10/A++	2.70	3.80	-	3.60	6.50	8.50	0.80	1.43	2.90	4.55	3.80/A
25+50	2.03	4.07	-	2.20	6.10	7.33	0.60	1.48	2.90	4.12	6.10/A++	2.17	4.33	-	3.60	6.50	8.50	0.80	1.43	2.90	4.55	3.80/A
35+35	3.05	3.05	-	2.20	6.10	7.33	0.60	1.48	2.90	4.12	6.10/A++	3.25	3.25	-	3.60	6.50	8.50	0.80	1.43	2.90	4.55	3.80/A
35+50	2.44	3.66	-	2.20	6.10	7.33	0.60	1.48	2.90	4.12	6.10/A++	2.60	3.90	-	3.60	6.50	8.50	0.80	1.43	2.90	4.55	3.80/A
22+22+22	2.03	2.03	2.03	2.20	6.10	7.33	0.60	1.48	2.90	4.12	6.60/A++	2.17	2.17	2.17	3.60	6.50	8.50	0.80	1.43	2.90	4.55	3.80/A
22+22+25	1.86	1.86	2.39	2.20	6.10	7.33	0.60	1.48	2.90	4.12	6.60/A++	1.98	1.98	2.54	3.60	6.50	8.50	0.80	1.43	2.90	4.55	3.80/A
22+22+35	1.64	1.64	2.82	2.20	6.10	7.33	0.60	1.48	2.90	4.12	6.60/A++	1.75	1.75	3.00	3.60	6.50	8.50	0.80	1.43	2.90	4.55	3.80/A
22+25+25	1.71	2.20	2.20	2.20	6.10	7.33	0.60	1.48	2.90	4.12	6.60/A++	1.82	2.34	2.34	3.60	6.50	8.50	0.80	1.43	2.90	4.55	3.80/A
22+25+35	1.53	1.96	2.61	2.20	6.10	7.33	0.60	1.48	2.90	4.12	6.60/A++	1.63	2.09	2.79	3.60	6.50	8.50	0.80	1.43	2.90	4.55	3.80/A
22+35+35	1.38	2.36	2.36	2.20	6.10	7.33	0.60	1.48	2.90	4.12	6.60/A++	1.47	2.52	2.52	3.60	6.50	8.50	0.80	1.43	2.90	4.55	3.80/A
25+25+25	2.03	2.03	2.03	2.20	6.10	7.33	0.60	1.48	2.90	4.12	6.60/A++	2.17	2.17	2.17	3.60	6.50	8.50	0.80	1.43	2.90	4.55	3.80/A
25+25+35	1.83	1.83	2.44	2.20	6.10	7.33	0.60	1.48	2.90	4.12	6.60/A++	1.95	1.95	2.60	3.60	6.50	8.50	0.80	1.43	2.90	4.55	3.80/A

Based on wall mounted combination

ZDAE-3070 MULTISPLIT TRIO

Indoor unit combination	COOLING MODE											HEATING MODE										
	Rated power (kW)			Total power (kW)			Total input power (kW)			EER	SEER/ Energy label	Rated power (kW)			Total power (kW)			Total input power (kW)			COP	SCOP/ Energy label
	Unit A	Unit B	Unit C	Min.	Rated	Max.	Min.	Rated	Max.			Unit A	Unit B	Unit C	Min.	Rated	Max.	Min.	Rated	Max.		
22+22	2.10	2.10	-	2.40	4.20	4.90	0.60	1.10	2.60	3.82	6.10/A++	2.60	2.60	-	3.60	5.20	8.80	0.60	1.30	2.00	4.00	3.80/A
22+25	2.10	2.60	-	2.40	4.70	5.20	0.60	1.25	2.80	3.76	6.10/A++	2.60	2.80	-	3.60	5.40	8.80	0.60	1.49	2.00	3.62	3.80/A
22+35	2.10	3.50	-	2.40	5.60	6.30	0.80	1.50	3.00	3.73	6.10/A++	2.60	3.80	-	3.60	6.40	8.80	0.60	1.77	2.40	3.62	3.80/A
22+50	1.99	5.11	-	2.40	7.10	8.50	1.00	1.88	3.40	3.78	6.10/A++	2.60	5.60	-	3.60	8.20	8.80	0.80	2.23	3.00	3.68	3.80/A
25+25	2.60	2.60	-	2.40	5.20	6.30	0.80	1.40	3.00	3.71	6.10/A++	2.60	2.60	-	3.60	5.20	8.80	0.60	1.67	2.40	3.11	3.80/A
25+35	2.60	3.50	-	2.40	6.10	7.30	1.00	1.65	3.20	3.70	6.10/A++	2.60	3.80	-	3.60	6.40	8.80	0.60	1.95	2.60	3.28	3.80/A
25+50	2.37	4.73	-	2.40	7.10	8.50	1.10	1.88	3.40	3.78	6.10/A++	2.80	5.60	-	3.60	8.40	8.80	0.80	2.23	3.00	3.77	3.80/A
35+35	3.55	3.55	-	2.40	7.10	8.50	1.10	1.88	3.40	3.78	6.10/A++	4.25	4.25	-	3.60	8.50	8.80	0.80	2.23	3.00	3.81	3.80/A
35+50	2.84	4.26	-	2.40	7.10	8.50	1.10	1.88	3.40	3.78	6.10/A++	3.40	5.10	-	3.60	8.50	8.80	0.80	2.23	3.00	3.81	3.80/A
50+50	3.55	3.55	-	2.40	7.10	8.50	1.10	1.88	3.40	3.78	6.10/A++	4.25	4.25	-	3.60	8.50	8.80	0.80	2.23	3.00	3.81	3.80/A
22+22+22	2.10	2.10	2.10	2.40	6.30	7.30	1.10	1.65	3.20	3.82	6.80/A++	2.60	2.60	2.60	3.60	7.80	8.80	0.80	1.95	2.60	4.00	3.80/A
22+22+25	2.10	2.10	2.60	2.40	6.80	8.50	1.10	1.80	3.40	3.78	6.80/A++	2.60	2.60	2.80	3.60	8.00	8.80	0.80	2.14	2.80	3.74	3.80/A
22+22+35	1.91	1.91	3.28	2.40	7.10	8.50	1.10	1.88	3.40	3.78	6.80/A++	2.29	2.29	3.92	3.60	8.50	8.80	0.80	2.23	3.00	3.81	3.80/A
22+22+50	1.55	1.55	3.99	2.40	7.10	8.50	1.10	1.88	3.40	3.78	6.80/A++	1.86	1.86	4.78	3.60	8.50	8.80	0.80	2.23	3.00	3.81	3.80/A
22+25+25	1.99	2.56	2.56	2.40	7.10	8.50	1.10	1.88	3.40	3.78	6.80/A++	2.38	3.06	3.06	3.60	8.50	8.80	0.80	2.23	3.00	3.81	3.80/A
22+25+35	1.78	2.28	3.04	2.40	7.10	8.50	1.10	1.88	3.40	3.78	6.80/A++	2.13	2.73	3.64	3.60	8.50	8.80	0.80	2.23	3.00	3.81	3.80/A
22+25+50	1.46	1.88	3.76	2.40	7.10	8.50	1.10	1.88	3.40	3.78	6.80/A++	1.75	2.25	4.50	3.60	8.50	8.80	0.80	2.23	3.00	3.81	3.80/A
22+35+35	1.60	2.75	2.75	2.40	7.10	8.50	1.10	1.88	3.40	3.78	6.80/A++	1.92	3.29	3.29	3.60	8.50	8.80	0.80	2.23	3.00	3.81	3.80/A
25+25+25	2.37	2.37	2.37	2.40	7.10	8.50	1.10	1.88	3.40	3.78	6.80/A++	2.83	2.83	2.83	3.60	8.50	8.80	0.80	2.23	3.00	3.81	3.80/A
25+25+35	2.13	2.13	2.84	2.40	7.10	8.50	1.10	1.88	3.40	3.78	6.80/A++	2.55	2.55	3.40	3.60	8.50	8.80	0.80	2.23	3.00	3.81	3.80/A
25+25+50	1.78	1.78	3.55	2.40	7.10	8.50	1.10	1.88	3.40	3.78	6.80/A++	2.13	2.13	4.25	3.60	8.50	8.80	0.80	2.23	3.00	3.81	3.80/A
25+35+35	1.94	2.58	2.58	2.40	7.10	8.50	1.10	1.88	3.40	3.78	6.80/A++	2.32	3.09	3.09	3.60	8.50	8.80	0.80	2.23	3.00	3.81	3.80/A
35+35+35	2.37	2.37	2.37	2.40	7.10	8.50	1.10	1.88	3.40	3.78	6.80/A++	2.83	2.83	2.83	3.60	8.50	8.80	0.80	2.23	3.00	3.81	3.80/A

Based on wall mounted combination

Compatible
WITH:

> High wall HDLE Aura
22/25/35/50



> Console XDLF
25/35/50



ZDAE-4080 MULTISPLIT QUATTRO

Indoor unit combination	COOLING MODE											HEATING MODE													
	Rated power (kW)				Total power (kW)			Total input power (kW)				EER	SEER/ Energy label	Rated power (kW)				Total power (kW)			Total input power (kW)			COP	SCOP/ Energy label
	Unit A	Unit B	Unit C	Unit D	Min.	Nom.	Max.	Min.	Nom.	Max.	Unit A			Unit B	Unit C	Unit D	Min.	Nom.	Max.	Min.	Nom.	Max.			
22+22	2.10	2.10	-	-	2.50	4.20	4.54	0.80	1.10	2.40	3.82	6.10/A++	2.60	2.60	-	-	3.60	5.20	10.00	0.70	1.10	2.50	4.73	3.80/A	
22+25	2.10	2.60	-	-	2.50	4.70	5.08	0.80	1.20	2.60	3.92	6.10/A++	2.60	2.80	-	-	3.60	5.40	10.00	0.70	1.26	2.50	4.29	3.80/A	
22+35	2.10	3.50	-	-	2.50	5.60	6.05	0.80	1.44	2.60	3.89	6.10/A++	2.60	3.80	-	-	3.60	6.40	10.00	0.70	1.49	2.50	4.30	3.80/A	
22+50	2.10	5.00	-	-	2.50	7.10	7.67	1.00	1.90	3.00	3.74	6.10/A++	2.60	5.60	-	-	3.60	8.20	10.00	0.90	1.96	3.00	4.18	3.80/A	
25+25	2.60	2.60	-	-	2.50	5.20	5.62	0.80	1.40	2.60	3.71	6.10/A++	2.80	2.80	-	-	3.60	5.60	10.00	0.70	1.41	2.50	3.97	3.80/A	
25+35	2.60	3.50	-	-	2.50	6.10	6.59	0.80	1.60	2.80	3.81	6.10/A++	2.80	5.43	-	-	3.60	8.23	10.00	0.70	1.65	2.60	4.99	3.80/A	
25+50	2.60	5.00	-	-	2.50	7.60	8.21	1.20	2.00	2.80	3.80	6.10/A++	2.80	3.80	-	-	3.60	6.60	10.00	1.00	2.12	3.40	3.11	3.80/A	
35+35	3.50	3.50	-	-	2.50	7.00	7.56	1.20	1.80	2.80	3.89	6.10/A++	3.80	3.80	-	-	3.60	7.60	10.00	0.90	1.89	2.80	4.02	3.80/A	
35+50	3.20	4.80	-	-	2.50	8.00	10.00	1.20	2.12	3.40	3.77	6.10/A++	3.80	5.60	-	-	3.60	9.40	10.00	1.00	2.20	3.60	4.27	3.80/A	
50+50	4.00	4.00	-	-	2.50	8.00	10.00	1.20	2.12	3.60	3.77	6.10/A++	4.75	4.75	-	-	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
22+22+22	2.10	2.10	2.10	-	2.50	6.30	6.80	1.20	1.60	2.80	3.94	6.10/A++	2.60	2.60	2.60	-	3.60	7.80	10.00	0.70	1.65	2.60	4.73	3.80/A	
22+22+25	2.10	2.10	2.60	-	2.50	6.80	7.34	1.20	1.75	2.80	3.89	6.10/A++	2.60	2.60	2.80	-	3.60	8.00	10.00	0.90	1.81	2.80	4.42	3.80/A	
22+22+35	2.10	2.10	3.50	-	2.50	7.70	8.32	1.20	2.00	3.00	3.85	6.10/A++	2.60	2.60	3.80	-	3.60	9.00	10.00	0.90	2.04	3.00	4.41	3.80/A	
22+22+50	1.75	1.75	4.50	-	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.10/A++	2.08	2.08	5.34	-	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
22+25+25	2.10	2.88	2.88	-	2.50	7.86	8.49	1.30	1.90	3.00	4.14	6.10/A++	2.60	2.80	2.80	-	3.60	8.20	10.00	0.90	1.96	3.00	4.18	3.80/A	
22+25+35	2.00	2.57	3.43	-	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.10/A++	2.60	2.80	4.00	-	3.60	9.40	10.00	1.00	2.20	3.60	4.27	3.80/A	
22+25+50	1.65	2.12	4.24	-	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.10/A++	1.96	2.51	5.03	-	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
22+35+35	1.81	3.10	3.10	-	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.10/A++	2.50	3.50	3.50	-	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
22+35+50	1.51	2.59	3.89	-	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.10/A++	1.80	3.08	4.62	-	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
25+25+25	2.67	2.67	2.67	-	2.50	8.00	8.64	1.30	2.00	3.40	4.00	6.10/A++	3.17	3.17	3.17	-	3.60	9.50	10.00	1.00	2.12	3.40	4.48	3.80/A	
25+25+35	2.40	2.40	3.20	-	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.10/A++	2.85	2.85	3.80	-	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
25+25+50	2.00	2.00	4.00	-	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.10/A++	2.38	2.38	4.75	-	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
25+35+35	2.18	2.91	2.91	-	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.10/A++	2.59	3.45	3.45	-	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
25+35+50	1.85	2.46	3.69	-	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.10/A++	2.19	2.92	4.38	-	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
35+35+35	2.67	2.67	2.67	-	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.10/A++	3.17	3.17	3.17	-	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
35+35+50	2.29	2.29	3.43	-	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.10/A++	2.71	2.71	4.07	-	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
22+22+22+22	2.00	2.00	2.00	2.00	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.70/A++	2.38	2.38	2.38	2.38	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
22+22+22+25	1.87	1.87	1.87	2.40	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.70/A++	2.22	2.22	2.22	2.85	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
22+22+22+35	1.70	1.70	1.70	2.91	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.70/A++	2.02	2.02	2.02	3.45	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
22+22+22+50	1.44	1.44	1.44	3.69	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.70/A++	1.71	1.71	1.71	4.38	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
22+22+25+25	1.75	1.75	2.25	2.25	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.70/A++	2.08	2.08	2.67	2.67	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
22+22+25+35	1.60	1.60	2.06	2.74	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.70/A++	1.90	1.90	2.44	3.26	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
22+22+25+50	1.37	1.37	1.76	3.51	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.70/A++	1.62	1.62	2.09	4.17	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
22+22+35+35	1.47	1.47	2.53	2.53	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.70/A++	1.75	1.75	3.00	3.00	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
22+25+25+25	1.65	2.12	2.12	2.12	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.70/A++	1.96	2.51	2.51	2.51	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
22+25+25+35	1.51	1.95	1.95	2.59	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.70/A++	1.80	2.31	2.31	3.08	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
22+25+25+50	1.40	1.80	2.40	2.40	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.70/A++	1.66	2.14	2.85	2.85	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
25+25+25+25	2.00	2.00	2.00	2.00	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.70/A++	2.38	2.38	2.38	2.38	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
25+25+25+35	1.85	1.85	1.85	2.46	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.70/A++	2.19	2.19	2.19	2.92	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	
25+25+25+50	1.71	1.71	2.29	2.29	2.50	8.00	10.00	1.30	2.12	3.60	3.77	6.70/A++	2.04	2.04	2.71	2.71	3.60	9.50	10.00	1.00	2.20	3.60	4.32	3.80/A	

Based on wall mounted combination

Compatible
WITH:

> High wall HDLE Aura
22/25/35/50/70



> Console XDLF 25/35/50



ZDAE-5130 MULTISPLIT CINCO

Indoor unit combination	COOLING MODE												HEATING MODE														
	Rated power (kW)					Total power (kW)			Total input power (kW)				EER	SEER/ Energy label	Rated power (kW)					Total power (kW)			Total input power (kW)			COP	SCOP/ Energy label
	Unit A	Unit B	Unit C	Unit E	Unit D	Min.	Nom.	Max.	Min.	Nom.	Max.	Unit A			Unit B	Unit C	Unit D	Unit E	Min.	Nom.	Max.	Min.	Nom.	Max.			
22+50	2.10	5.00	-	-	-	2.40	7.10	7.67	2.60	3.45	4.00	2.06	6.10/A++	2.60	5.60	-	-	-	2.60	8.20	13.00	1.61	3.20	4.00	2.56	4.00/A+	
22+70	2.10	7.20	-	-	-	2.40	9.30	10.04	2.60	3.45	4.00	2.70	6.10/A++	2.60	8.50	-	-	-	2.60	11.10	13.00	1.61	3.20	4.00	3.47	4.00/A+	
25+35	2.60	3.50	-	-	-	2.40	6.10	6.59	2.60	3.45	4.00	1.77	6.10/A++	2.80	3.80	-	-	-	2.60	6.60	13.00	1.61	3.20	4.00	2.06	4.00/A+	
25+50	2.60	5.00	-	-	-	2.40	7.60	8.21	2.60	3.45	4.00	2.20	6.10/A++	2.80	5.60	-	-	-	2.60	8.40	13.00	1.61	3.20	4.00	2.63	4.00/A+	
25+70	2.60	7.20	-	-	-	2.40	9.80	10.58	2.60	3.45	4.00	2.84	6.10/A++	2.80	8.50	-	-	-	2.60	11.30	13.00	1.61	3.20	4.00	3.53	4.00/A+	
35+35	3.50	3.50	-	-	-	2.40	7.00	7.56	2.60	3.45	4.00	2.03	6.10/A++	3.80	3.80	-	-	-	2.60	7.60	13.00	1.61	3.20	4.00	2.38	4.00/A+	
35+50	3.50	5.00	-	-	-	2.40	8.50	9.18	2.60	3.45	4.00	2.46	6.10/A++	3.80	5.60	-	-	-	2.60	9.40	13.00	1.61	3.20	4.00	2.94	4.00/A+	
35+70	3.50	7.20	-	-	-	2.40	10.70	11.56	2.60	3.45	4.00	3.10	6.10/A++	3.80	8.50	-	-	-	2.60	12.30	13.00	1.61	3.20	4.00	3.84	4.00/A+	
50+50	5.00	5.00	-	-	-	2.40	10.00	10.80	2.60	3.45	4.00	2.90	6.10/A++	5.60	5.60	-	-	-	2.60	11.20	13.00	1.61	3.20	4.00	3.50	4.00/A+	
50+70	5.14	6.86	-	-	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	6.10/A++	5.57	7.43	-	-	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
70+70	6.00	6.00	-	-	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	6.10/A++	6.50	6.50	-	-	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+22	2.10	2.10	2.10	-	-	2.40	6.30	6.80	2.60	3.45	4.00	1.83	6.10/A++	2.60	2.60	2.60	-	-	2.60	7.80	13.00	1.61	3.20	4.00	2.44	4.00/A+	
22+22+25	2.10	2.10	2.60	-	-	2.40	6.80	7.34	2.60	3.45	4.00	1.97	6.10/A++	2.60	2.60	2.80	-	-	2.60	8.00	13.00	1.61	3.20	4.00	2.50	4.00/A+	
22+22+35	2.10	2.10	3.50	-	-	2.40	7.70	8.32	2.60	3.45	4.00	2.23	6.10/A++	2.60	2.60	3.80	-	-	2.60	9.00	13.00	1.61	3.20	4.00	2.81	4.00/A+	
22+22+50	2.10	2.10	5.00	-	-	2.40	9.20	9.94	2.60	3.45	4.00	2.67	6.10/A++	2.60	2.60	5.60	-	-	2.60	10.80	13.00	1.61	3.20	4.00	3.38	4.00/A+	
22+22+70	2.10	2.10	7.20	-	-	2.40	11.40	12.31	2.60	3.45	4.00	3.30	6.10/A++	2.60	2.60	7.80	-	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+25+25	2.10	2.60	2.60	-	-	2.40	7.30	7.88	2.60	3.45	4.00	2.12	6.10/A++	2.60	2.80	2.80	-	-	2.60	8.20	13.00	1.61	3.20	4.00	2.56	4.00/A+	
22+25+35	2.10	2.60	3.50	-	-	2.40	8.20	8.86	2.60	3.45	4.00	2.38	6.10/A++	2.60	2.80	3.80	-	-	2.60	9.20	13.00	1.61	3.20	4.00	2.88	4.00/A+	
22+25+50	2.10	2.60	5.00	-	-	2.40	9.70	10.48	2.60	3.45	4.00	2.81	6.10/A++	2.60	2.80	5.60	-	-	2.60	11.00	13.00	1.61	3.20	4.00	3.44	4.00/A+	
22+25+70	2.10	2.60	7.20	-	-	2.40	11.90	12.85	2.60	3.45	4.00	3.45	6.10/A++	2.60	2.80	7.60	-	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+35+35	2.10	3.50	3.50	-	-	2.40	9.10	9.83	2.60	3.45	4.00	2.64	6.10/A++	2.60	3.80	3.80	-	-	2.60	10.20	13.00	1.61	3.20	4.00	3.19	4.00/A+	
22+35+50	2.10	3.50	5.00	-	-	2.40	10.60	11.45	2.60	3.45	4.00	3.07	6.10/A++	2.60	3.80	5.60	-	-	2.60	12.00	13.00	1.61	3.20	4.00	3.75	4.00/A+	
22+35+70	1.95	3.50	7.20	-	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	6.10/A++	2.12	3.63	7.26	-	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+50+50	1.95	5.00	5.00	-	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	6.10/A++	2.12	5.44	5.44	-	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+50+70	1.71	4.41	5.88	-	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	6.10/A++	1.86	4.78	6.37	-	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+70+70	1.53	5.24	5.24	-	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	6.10/A++	1.65	5.67	5.67	-	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
25+25+25	2.60	2.60	2.60	-	-	2.40	7.80	8.42	2.60	3.45	4.00	2.26	6.10/A++	2.80	2.80	2.80	-	-	2.60	8.40	13.00	1.61	3.20	4.00	2.63	4.00/A+	
25+25+35	2.60	2.60	3.50	-	-	2.40	8.70	9.40	2.60	3.45	4.00	2.52	6.10/A++	2.80	2.80	3.80	-	-	2.60	9.40	13.00	1.61	3.20	4.00	2.94	4.00/A+	
25+25+50	2.60	2.60	5.00	-	-	2.40	10.20	11.02	2.60	3.45	4.00	2.96	6.10/A++	2.80	2.80	5.60	-	-	2.60	11.20	13.00	1.61	3.20	4.00	3.50	4.00/A+	
25+25+70	2.57	2.57	6.86	-	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	6.10/A++	2.79	2.79	7.43	-	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
25+35+35	2.60	3.50	3.50	-	-	2.40	9.60	10.37	2.60	3.45	4.00	2.78	6.10/A++	2.80	3.80	3.80	-	-	2.60	10.40	13.00	1.61	3.20	4.00	3.25	4.00/A+	
25+35+50	2.60	3.50	5.00	-	-	2.40	11.10	11.99	2.60	3.45	4.00	3.22	6.10/A++	2.80	3.80	5.60	-	-	2.60	12.20	13.00	1.61	3.20	4.00	3.81	4.00/A+	
25+35+70	2.40	3.20	6.40	-	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	6.10/A++	2.60	3.47	6.93	-	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
25+50+50	2.40	4.80	4.80	-	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	6.10/A++	2.60	5.20	5.20	-	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
25+50+70	2.12	4.24	5.65	-	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	6.10/A++	2.29	4.59	6.12	-	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
25+70+70	1.89	5.05	5.05	-	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	6.10/A++	2.05	5.47	5.47	-	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
35+35+35	3.50	3.50	3.50	-	-	2.40	10.50	11.34	2.60	3.45	4.00	3.04	6.10/A++	4.33	4.33	4.33	-	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
35+35+50	3.43	3.43	5.14	-	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	6.10/A++	3.71	3.71	5.57	-	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
35+35+70	3.00	3.00	6.00	-	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	6.10/A++	3.25	3.25	6.50	-	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
35+50+50	3.00	4.50	4.50	-	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	6.10/A++	3.25	4.88	4.88	-	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
35+50+70	2.67	4.00	5.33	-	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	6.10/A++	2.89	4.33	5.78	-	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
35+70+70	2.40	4.80	4.80	-	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	6.10/A++	2.60	5.20	5.20	-	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
50+50+50	4.00	4.00	4.00	-	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	6.10/A++	4.33	4.33	4.33	-	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
50+50+70	3.60	3.60	4.80	-	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	6.10/A++	3.90	3.90	5.20	-	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+22+22	2.10	2.10	2.10	2.10	-	2.40	8.40	9.07	2.60	3.45	4.00	2.43	6.10/A++	2.60	2.60	2.60	2.60	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+22+25	2.10	2.10	2.10	2.60	-	2.40	8.90	9.61	2.60	3.45	4.00	2.58	6.10/A++	2.60	2.60	2.60	2.80	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+22+35	2.10	2.10	2.10	3.50	-	2.40	9.80	10.58	2.60	3.45	4.00	2.84	6.10/A++	2.60	2.60	2.60	3.80	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+22+50	2.10	2.10	2.10	5.00	-	2.40	11.30	12.20	2.60	3.45	4.00	3.28	6.10/A++	2.60	2.60	2.60	5.60	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+22+70	1.87	1.87	1																								

Indoor unit combination	COOLING MODE											HEATING MODE															
	Rated power (kW)				Total power (kW)			Total input power (kW)				EER	SEER/ Energy label	Rated power (kW)					Total power (kW)			Total input power (kW)			COP	SCOP/ Energy label	
	Unit A	Unit B	Unit C	Unit E	Unit D	Min.	Nom.	Max.	Min.	Nom.	Max.			Unit A	Unit B	Unit C	Unit D	Unit E	Min.	Nom.	Max.	Min.	Nom.	Max.			
22+35+35+50	1.71	2.94	2.94	4.41	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	1.86	3.18	3.18	4.78	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+35+35+70	1.53	2.62	2.62	5.24	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	1.65	2.84	2.84	5.67	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+35+50+50	1.53	2.62	3.93	3.93	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	1.65	2.84	4.25	4.25	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+35+50+70	1.38	2.36	3.54	4.72	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	1.49	2.56	3.84	5.11	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+50+50+50	1.38	3.54	3.54	3.54	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	1.49	3.84	3.84	3.84	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
25+25+25+25	2.60	2.60	2.60	2.60	-	2.40	10.40	11.23	2.60	3.45	4.00	3.01	610/A++	3.25	3.25	3.25	3.25	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
25+25+25+35	2.60	2.60	2.60	3.50	-	2.40	11.30	12.20	2.60	3.45	4.00	3.28	610/A++	3.00	3.00	3.00	4.00	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
25+25+25+50	2.40	2.40	2.40	4.80	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	2.60	2.60	2.60	5.20	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
25+25+25+70	2.12	2.12	2.12	5.65	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	2.29	2.29	2.29	6.12	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
25+25+35+35	2.57	2.57	3.43	3.43	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	2.79	2.79	3.71	3.71	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
25+25+35+50	2.25	2.25	3.00	4.50	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	2.44	2.44	3.25	4.88	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
25+25+35+70	2.00	2.00	2.67	5.33	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	2.17	2.17	2.89	5.78	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
25+25+50+50	2.00	2.00	4.00	4.00	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	2.17	2.17	4.33	4.33	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
25+25+50+70	1.80	1.80	3.60	4.80	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	1.95	1.95	3.90	5.20	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
25+35+35+35	2.40	3.20	3.20	3.20	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	2.60	3.47	3.47	3.47	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
25+35+35+50	2.12	2.82	2.82	4.24	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	2.29	3.06	3.06	4.59	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
25+35+35+70	1.89	2.53	2.53	5.05	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	2.05	2.74	2.74	5.47	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
25+35+50+50	1.89	2.53	3.79	3.79	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	2.05	2.74	4.11	4.11	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
25+35+50+70	1.71	2.29	3.43	4.57	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	1.86	2.48	3.71	4.95	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
25+50+50+50	1.71	3.43	3.43	3.43	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	1.86	3.71	3.71	3.71	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
35+35+35+35	3.00	3.00	3.00	3.00	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	3.25	3.25	3.25	3.25	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
35+35+35+50	2.67	2.67	2.67	4.00	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	2.89	2.89	2.89	4.33	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
35+35+35+70	2.40	2.40	2.40	4.80	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	2.60	2.60	2.60	5.20	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
35+35+50+50	2.40	2.40	3.60	3.60	-	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	2.60	2.60	3.90	3.90	-	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+22+22+22	2.10	2.10	2.10	2.10	2.10	2.40	10.50	11.34	2.60	3.45	4.00	3.48	610/A++	2.60	2.60	2.60	2.60	2.60	2.60	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+
22+22+22+22+25	2.10	2.10	2.10	2.10	2.60	2.40	11.00	11.88	2.60	3.45	4.00	3.19	610/A++	2.46	2.46	2.46	2.46	3.16	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+22+22+35	2.10	2.10	2.10	2.10	3.50	2.40	11.90	12.85	2.60	3.45	4.00	3.45	610/A++	2.28	2.28	2.28	2.28	3.90	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+22+22+50	1.83	1.83	1.83	1.83	4.70	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	1.98	1.98	1.98	1.98	5.09	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+22+22+70	1.62	1.62	1.62	1.62	5.54	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	1.75	1.75	1.75	1.75	6.00	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+22+25+25	2.10	2.10	2.10	2.60	2.60	2.40	11.50	12.42	2.60	3.45	4.00	3.33	610/A++	2.33	2.33	2.33	3.00	3.00	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+22+25+35	2.00	2.00	2.00	2.57	3.43	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	2.17	2.17	2.17	2.79	3.71	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+22+25+50	1.75	1.75	1.75	2.25	4.50	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	1.90	1.90	1.90	2.44	4.88	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+22+25+70	1.56	1.56	1.56	2.00	5.33	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	1.69	1.69	1.69	2.17	5.78	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+22+35+35	1.87	1.87	1.87	3.20	3.20	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	2.02	2.02	2.02	3.47	3.47	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+22+35+50	1.65	1.65	1.65	2.82	4.24	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	1.78	1.78	1.78	3.06	4.59	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+22+35+70	1.47	1.47	1.47	2.53	5.05	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	1.60	1.60	1.60	2.74	5.47	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+22+50+50	1.47	1.47	1.47	3.79	3.79	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	1.60	1.60	1.60	4.11	4.11	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+22+50+70	1.33	1.33	1.33	3.43	4.57	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	1.44	1.44	1.44	3.71	4.95	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+25+25+25	2.10	2.10	2.60	2.60	2.60	2.40	12.00	12.96	2.60	3.45	4.00	3.48	610/A++	2.22	2.22	2.85	2.85	2.85	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+25+25+35	1.91	1.91	2.45	2.45	3.27	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	2.07	2.07	2.66	2.66	3.55	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+25+25+50	1.68	1.68	2.16	2.16	4.32	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	1.82	1.82	2.34	2.34	4.68	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+25+25+70	1.50	1.50	1.93	1.93	5.14	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	1.63	1.63	2.09	2.09	5.57	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+25+35+35	1.79	1.79	2.30	3.06	3.06	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	1.94	1.94	2.49	3.32	3.32	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+25+35+50	1.58	1.58	2.04	2.72	4.08	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	1.72	1.72	2.21	2.94	4.42	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+25+35+70	1.42	1.42	1.83	2.44	4.88	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	1.54	1.54	1.98	2.64	5.29	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+	
22+22+25+50+50	1.42	1.42	1.83	3.66	2.40	12.00	13.60	2.60	3.45	4.00	3.48	610/A++	1.54	1.54	1.98	3.97	3.97	2.60	13.00	13.00	1.61	3.20	4.00	4.06	4.00/A+		